7200 Flex-Fold MaxEmerge® 2 Drawn Conservation Planter 8-Row Wide and 12-Row Narrow





OPERATORS 1 NUAL

7200 Flex-Fold MaxEmer e[®] 2 Drawn Conservation Planter 8-Row V'.Je and 12-Row Narrow

OM 51005 Issue G0 English

John Deere Harvester Works OMA51905 Issue G0

(This manual replaces OMH139534-F9)

LITHO IN U.S.A. ENGLISH



Introduction

READ THIS MANUAL carefully to learn how to operate and service your machine correctly. Failure to do so could result in personal injury or equipment damage.

THIS MANUAL SHOULD BE CONSIDERED a permanent part of your machine and should remain with the machine when you sell it.

RIGHT-HAND AND LEFT-HAND sides are determined by facing in the direction the implement will travel when going forward.



THIS MACHINE is of metric design. Measurements in this manual are metric with the customary U.S. measurement following. Use only metric hardware and tools as specified.

WRITE PRODUCT IDENTIFICATION NUMBERS in the space provided in the Specifications section. Accurately record all the numbers to help in tracing the machine should it be stolen. Your deal raisoneeds these numbers when you order parts of his

manual is kept on the machine, also file the identification numbers in a secure place off the machine.

WARRANTY is provided as part of John Deere's support program for customers who operate and maintain their equipment as described in this manual. The warranty is explained on the warranty certificate which you should have received from your dealer.

This warranty provides you the assurance that John Deere will back its products where defects appear within the warranty period. In some circumstances, John Deere also provides field improvements, often without charge to the customer, even if the product is or of warranty. Should the equipment be abused, or indicated to change its performance beyond the prignal factory specifications, the warranty will become void and field improvements may be denied. Setting fuel delivery above specifications or otherwise overpowering machines will result in such action.

THE TIRE MANUFACTURER'S warranty supplied with your machine may not apply outside the U.S.



7200 Flex-Fold 12-Row Narrow Drawn Max Tell le ter with Vacuum Seed Metering System

B21,7ID,A -19-28JUN90



7200 Flex-Fold 12-Row Narrow Drawn Max-Emerge Planter with Vacuum Seed Metering System and Liquid Fertilizer Attachment

B21,7ID,B -19-28JUN90

Buy now

John Deere 7200 Operator Manual PDF

With Instant Download