SERVICE MANUAL Tigercat 230C Loader

TABLE OF CONTENTS

ISSUE 1.1, MARCH, 2009

INTRODUCTION ii
NON-APPROVED FIELD PRODUCT CHANGESiv
SAFETY1
CONTROLS AND OPERATIONSee separate OPERATOR'S MANUAL
LUBRICATION AND MAINTENANCE
PILOT SYSTEM5
ELECTRICAL, GAUGES AND ALA MS
ENGINE START AND STOP
OIL COOLER, RADIAT 'R' YD FAN
BOOM FUNCTION § 12
SWING
STABILIZE 35
CCAP " E
PELIMBER/SLASHER

230C-OM00

230C Available Literature

Tigercat[®]

P.O. Box 544 Paris, Ontario Canada N3L 3T6

Tel: (519) 442-1000 Fax: (519) 442-1855

Tigercat 230C Loader INTRODUCTION

An Operator's manual, Service manual and a Parts catalog are provided by **Tigercat** to assist the dealer, customer and operator in becoming familiar with the features of the Tigercat 230C Loader, **serial number 2301501 and up.**

The operator's manual will assist the operator with the techniques of proper and safe operation of the Loader. The service manual contains safety guidelines, a preventive maintenance schedule and servicing procedures to ensure optimum machine performance.

Section 1 in both the operator's manual and the service manual contains safety information that must be followed. As well, throughout the rest of the manuals, WARNING and CAUTION notices are displayed where necessary, drawing attention to possible hazards when performing certain procedures.

Only trained personnel should be allowed to operate or work the machine.

The information contained in this manual is current at time or printing. Improvements to the machine are on-going and may not be covered, therefore in these case contact your **Tigercat** dealer for the appropriate information.

The phrase "and up" appearing in this manual after the serial number implies that the related information is current for any machine serial number HIGHE and the serial number preceding the "and up".

Tigercat reserves the right to make chan less to the machine after this manual release date that may not immediately appear in this manual.

Every effort is made to send out upc test a regular basis. If the machine in question was built after the release date of this manual and the release date appears on the first page.

The Company reserves the ign to change information contained herein at any time without prior notice.

Tigercat Industras inc.

NON-APPROVED FIELD PRODUCT CHANGES

The installation of any unauthorized attachment or changes made of any kind to this **Tigercat** product could affect the product's ability to perform as originally intended. The product's integrity, stability and safety could be at serious risk.

IT IS **Tigercat** POLICY THAT NO CHANGES ARE TO BE MADE TO ITS PRODUCTS INCLUDING DELETIONS OR ADDITIONS OTHER THAN A **Tigercat** APPROVED OPTION FITTED IN THE FACTORY APPROVED MANNER.

Official approval to make changes or install options is **only** as follows:

- The relevant options for that product must be shown or listed on <u>current</u> Tigercat documentation or literature such as a printed specification sheet, price list, parts manual, or product literature issued by Tigercat.
- ii) Approved options or product changes authorized in writing by the Tigercat Engineering Manager.

AUTHORIZATION BY ANY OTHER PERSON IS UNACC. TALLE.

Unauthorized changes made or contributed to by a person or organization may result in creating a dangerous situation and therefore the person or organization will be considered to have assumed the risk involved or be negligent in creating this situation

Weight is an important factor when considering to addition of options or an attachment, Refer to your **Tigercat** distributor for information on maximum permissible operating weight and the effect the addition of various options may have on your maximum.

Tigercat will not be held responsible for my situation that may arise resulting from Non-approved Field Product Changes to its product.

Should **Tigercat** become in all a suit resulting from changes made to the product without proper authorization by **Tigercat** as ted above, **Tigercat** will take whatever action is appropriate to protect its interests.

The product warranty policy and the certification on any safety items installed on the modified product will become NULL at 100 if the above policy is not adhered to as specified.

Non-approve 1 product changes also nullify warranties given to **Tigercat** by its component manufacturers.

Tig at Industries Inc.

Tigercat 230C Loader

SECTION 1 - SAFETY

MARCH, 2009

CONTENTS - SECTION 1

BATTERY DISCONNECT SWITCH	. 1.6, 1.8
COOLING SYSTEM	1.8
EXHAUST FUMES	1.9
FIRE PREVENTION DRY CHEMICAL CLEANUP PROCEDURES FIRE PREVENTION GUIDELINES WHAT TO DO AFTER A MACHINE FIRE HAS OCCURRET WHAT TO DO TO PREPARE FOR A MACHINE FIRE WHAT TO DO WHEN A MACHINE FIRE OCCURS. FIRST AID FLUID INJECTION INJURY	1.19 1.15 1.18 1.16 1.17 1.4
GREASE INJECTION INJURY	1.11
LIGHTNING SAFETY AWARENESS LIGHTNING SAFETY	1.12
PROTECTIVE CLOTHIN 1	1.3
SAFE REMOVAL OF COUNTERBALANCE AND CHECK CARTRIDGE SAFETY PRECAUTIONS, OPERATING	1.5 1.7 1.2
SIGNAL 3	

IMPORTANT

24 VOLT

ELECTRICAL SYSTEM

Buy now

Tigercat Loader 230C Service Manual PDF

With Instant Download