# SERVICE MANUAL Tigercat M724D MULCHER

ISSUE 1.0, JANUARY 2004

### **TABLE OF CONTENTS**

SECTION INTRODUCTIONiii	
SAFETY 1	
USING HIGH SPEED DISC SAWS SAFELY APPENDIX TO SECTION 1	
CONTROLS AND OPERATION	
LUBRICATION AND MAINTENANC	
PILOT SYSTEM 5	
ELECTRICAL, GAUGES AN. ALARMS	
ENGINE 7	
DRIVE 8	
BRAKES A. 'D DIFFERENTIAL LOCKS	
O'_CC '_ER, RADIATOR AND CROSS-FLOW FAN	
TEERING AND CENTER JOINT	
\'FT BOOM12	
TILT	
ATTACHMENT DRIVE	
CLAMPS WITH SAW ATTACHMENT	
MULCH DEFLECTOR DOOR	
M724DSM00	

#### M724D Available Literature

Operator's Manual	Part	Nο	21324A
Service Manual (this manual)			
Parts Catalog			
Hydraulic Adapters Book			
Hose Assemblies Book			37074

# Tigercat®

Tigercat Industries Inc. P.O. Box 544 Paris, Ontario Canada N3L 3T6

Tel: (519) 442-1000 Fax: (519) 442-1855 

## **Tigercat M724D Mulcher**

## INTRODUCTION

An Operator's manual, Service manual and a Parts catalog are made available by **Tigercat** to assist the dealer, customer and operator in becoming familiar with the features of the M724D Mulcher.

The operator's manual will assist the operator with the techniques of proper and safe operation of the M724D Mulcher. In addition, the operator's manual contains important information regarding the safe operation of both a mulching head and a saw head, as the M724D Mulcher is convertible for use as a Feller Buncher. The service manual contains safety and servicing procedures and a preventive maintenance schedule to ensure optimum machine performance.

Section 1 in both the operator's manual and the service manual contains safety information that must be followed. As well, throughout the rest of the manuals, WARNING and CAUTION notices are displayed where necessary, drawing attention to possible hazards when performing certain procedures.

Only trained personnel should be allowed to operate or wor on the machine.

The information contained in this manual is current at tin. of printing. Improvements to the machine are on going and may not be covered, therefore in these cases contact your **Tigercat** dealer for the appropriate information.

The phrase "and up" appearing in this manual fte the serial number implies that the related information is current for any machine serial number HIGHER than the serial number preceding the "and up".

Tigercat reserves the right to make make to the machine after this manual release date that may not immediately appear in this manual.

Every effort is made to seed of up lates on a regular basis. If the machine in question was built after the release date of this manual there is a discrepancy, call Tigercat service department. The release date appears on the firs  $\rho_{i,j}$ .

The Company reserves the right to change information contained herein at any time without prior notice.

## Tigercat I duntries Inc.



S.A.E. STANDARDS
ROLL-OVER PROTECTION STRUCTURES (ROPS)
FALLING OBJECTS PROTECTION STRUCTURES (FOPS)
OPERATOR PROTECTION STRUCTURES (OPS)
\* MODIFICATIONS AND REPAIRS:

The integrity of the ROPS, FOPS, OPS structure and its continued ability to provide the level of protection it was designed for could be seriously affected by any modifications to the structure, its mounting or to the chassis to which it is attached.

**Tigercat** emphasizes that the certification of approval of the ROPS, FOPS, OPS structure will become void if any such modifications take place.

Tigercat may officially grant approval for modifications only by:

- i. Written approval of repairs or modifications signed by the Tigercat Engineering Manager; or
- ii. Approved modifications officially released by Tigercat

Both of the above are provided that the work is carried out in the factory approved manner.

Unauthorized modifications and/or repairs made or onto buted to by a customer or a **Tigercat** distributor may result in creating a dangerous situation and therefore the customer or **Tigercat** distributor will be considered to have assumed the risk involved of the negligent in creating this situation.

**Tigercat** will not be held responsible for musticals arising from having created unauthorized modifications/changes to the structure

Operator's cabs are designed to RC 2S, OPS, OPS standards so that they will withstand force and absorb energy during a roll-ove (in OPS), when resisting the impact of a falling object (FOPS) and minimize the possibility of correction jury from penetrating objects (OPS). When a permanent deflection of the structure occurs, the structure can no longer provide the original designed level of protection and should be replaced. Att means to straighten the structure, particularly by the application of heat, can reduce still further the structure remaining capability to protect.

The mounting ar of the frame or chassis to which the cab is attached is considered an integral part of the ROPS, FOPS OP and is included in the design, test and certification of the product.

Contact the cat Service department before attempting any modifications or repair to roll-over protecting as a lictures.

Tige cat Industries Inc.



### NON-APPROVED FIELD PRODUCT CHANGES

The installation of any unauthorized attachment or changes made of any kind to this **Tigercat** product could affect the product's ability to perform as originally intended. The product's integrity, stability and it's ability to perform safely could be at serious risk.

IT IS **Tigercat** POLICY THAT NO CHANGES ARE TO BE MADE TO ITS PRODUCTS INCLUDING DELETIONS OR ADDITIONS OTHER THAN A **Tigercat** APPROVED OPTION FITTED IN THE FACTORY APPROVED MANNER.

Official approval to make changes or install options is **only** to be undertaken as follows:

- i) The relevant options for that product must be shown or listed on <u>current</u> Tigercat documentation or literature such as a printed specification sheet, price list, parts manual, or product literature issued by Tigercat.
- ii) Approved options or product changes authorized in writing by the Tigercat Engineering Manager.

Authorization by any other person is unacceptable.

Unauthorized changes made or contributed to by a perso, or organization may result in creating a dangerous situation and therefore the person or organization will be considered to have assumed the risk involved or be negligent in having created this situation.

Weight is an important factor when considering the addition of options or an attachment, Refer to your **Tigercat** distributor for information on maximum permissible operating weight and the effect the addition of various options may have on your mathic.

**Tigercat** will not be held responsible for my situation that may arise resulting from Non-approved Field Product Changes to its product.

Should **Tigercat** become in older a dispute resulting from changes made to the product without proper authorization by **Tigercat** as a sted above, **Tigercat** will take whatever action is appropriate to protect its interests.

The product warranty, plicy and the certification on any safety items installed on the modified product will become NULL at a PID if the above policy is not adhered to as specified.

Non-approve a project changes also nullify warranties given to **Tigercat** by its component manufacturers.

Tig reat Industries Inc.

## **Buy now**

<u>Tigercat Mulcher M724D Service Manual PDF</u>

With Instant Download