OPERATOR'S MANUAL Tigercat M726D MULCHER

ISSUE 3.0, AUGUST, 2005

TABLE OF CONTENTS

SECTION INTRODUCTION iii
SAFETY1
USING HIGH SPEED DISC SAWS SAFE' APPENDIX TO SECTION 1
CONTROLS AND OPERATION2
LUBRICATION AND MAINTENANCE
M726D-SM00

M726D Available Literature

Operator's Manual (This Manual) Part No. 24259A
Service Manual Part No. 24260A
Parts Catalog Part No. 24258A

Tigercat

Tigercat Industries Inc. P.O. Box 544 Paris, Ontario Canada N3L 3T6

Tel: (519) 442-1000 Fax: (519) 442-1855

Tigercat M726D MULCHER

INTRODUCTION

An Operator's manual, Service manual and a Parts catalog are made available by **Tigercat** to assist the dealer, customer and operator in becoming familiar with the features of the M726D Mulcher serial number 726M3001 and up.

The operator's manual will assist the operator with the techniques of proper and safe operation of the M726D Mulcher. There is also important information regarding the safe operation of the mulching head. The service manual contains safety and servicing procedures and a preventive maintenance schedule to ensure optimum machine performance.

Section 1 in both the operator's manual and the service manual contains safety information that must be followed. As well, throughout the rest of the manuals, WARNING and CAUTION notices are displayed where necessary, drawing attention to possible hazards when performing certain procedures.

Only trained personnel should be allowed to operate or we on he machine.

The information contained in this manual is current at time of printing. Improvements to the machine are on-going and may not be covered, therefore in these cases contact your **Tigercat** dealer for the appropriate information.

The phrase "and up" appearing in this manual to the serial number implies that the related information is current for any machine serial number LiGHFR than the serial number preceding the "and up".

Tigercat reserves the right to make changes to the machine after this manual release date that may not immediately appear in this manual.

Every effort is made to send out up lates on a regular basis. If the machine in question was built after the release date of this manual not here is a discrepancy, call Tigercat service department. The release date appears on the first page

The Company reserces the right to change information contained herein at any time without prior notice.

Tigercat L.du riries Inc.



S.A.E. STANDARDS ROLL-OVER PROTECTION STRUCTURES (ROPS) FALLING OBJECTS PROTECTION STRUCTURES (FOPS) OPERATOR PROTECTION STRUCTURES (OPS) * MODIFICATIONS AND REPAIRS:

The integrity of the ROPS, FOPS, OPS structure and its continued ability to provide the level of protection it was designed for could be seriously affected by any modifications to the structure, its mounting or to the chassis to which it is attached.

Tigercat emphasizes that the certification of approval of the ROPS, FOPS, OPS structure will become void if any such modification(s) take place.

Tigercat may officially grant approval for modifications only by:

- i. Written approval of repairs or modifications signed by the Tigercat Engineering Manager; or
- ii. Approved modifications officially released by Tigercat

Both of the above are provided that the work is carrie with the factory approved manner.

Unauthorized modifications and/or repairs made or continuouted to by a customer or a **Tigercat** distributor may result in creating a dangerous situation and the efore the customer or **Tigercat** distributor will be considered to have assumed the risk involved or an egligent in creating this situation.

Tigercat will not be held responsible for it a ons arising from having created unauthorized modifications/changes to the structure

Operator's cabs are designed to PC. S. F. PS, OPS standards so that they will withstand force and absorb energy during a roll-ove (F. PS), when resisting the impact of a falling object (FOPS) and minimize the posibility of operation jury from penetrating objects (OPS). When a permanent deflection of the structure occurs, the position in the structure occurs, the position is can no longer provide the original designed level of protection and should be replaced. After position straighten the structure, particularly by the application of heat, can reduce still further the structures remaining capability to protect.

The mounting ard in frame or chassis to which the cab is attached is considered an integral part of the ROPS, FOP, OP, and is included in the design, test and certification of the product.

Contact Contact Service department before attempting any modifications or repair to roll-over protections of structures.

Tigercat Industries Inc.

NON-APPROVED FIELD PRODUCT CHANGES

The installation of any unauthorized attachment or changes made of any kind to this **Tigercat** product could affect the product's ability to perform as originally intended. The product's integrity, stability and it's ability to perform safely could be at serious risk.

IT IS **Tigercat** POLICY THAT NO CHANGES ARE TO BE MADE TO ITS PRODUCTS INCLUDING DELETIONS OR ADDITIONS OTHER THAN A **Tigercat** APPROVED OPTION FITTED IN THE FACTORY APPROVED MANNER.

Official approval to make changes or install options is only to be undertaken as follows:

- The relevant options for that product must be shown or listed on <u>current</u> Tigercat documentation or literature such as a printed specification sheet, price list, parts manual, or product literature issued by Tigercat.
- ii) Approved options or product changes authorized in writing by the Tigercat Engineering Manager.

AUTHORIZATION BY ANY OTHER PERSON IS UNACCEPTABLE.

Unauthorized changes made or contributed to by a person or organization may result in creating a dangerous situation and therefore the person or organization will be considered to have assumed the risk involved or be negligent in having created this situation.

Weight is an important factor when considering the adultion of options or an attachment, Refer to your **Tigercat** distributor for information on maximum per nissible operating weight and the effect the addition of various options may have on your machine.

Tigercat will not be held responsible for any ituation that may arise resulting from Non-approved Field Product Changes to its product.

Should **Tigercat** become involved a dispute resulting from changes made to the product without proper authorization by **Tigercat** as ted above, **Tigercat** will take whatever action is appropriate to protect its interests.

The product warrant cooliny and the certification on any safety items installed on the modified product will become NULL and Volume above policy is not adhered to as specified.

Non-approved profile changes also nullify warranties given to **Tigercat** by its component manufacturers.

Tire Ja. 'ndustries Inc.

Buy now

<u>Tigercat Mulcher M726D Operator's Manual PDF</u>

With Instant Download