OPERATOR'S MANUAL Tigercat M726E MULCHER

ISSUE 3.3, JUNE, 2010

TABLE OF CONTENTS

INTRODUCTION	SECTION iii
SAFETY	1
USING HIGH SPEED DISC SAWS SAFE'	APPENDIX TO SECTION 1
CONTROLS AND OPERATION	2
LUBRICATION AND MAINTENANCE	3

CALIFORNIA

Proposition 65 Warning

Diesel engine exhaust and some of its constituents are known to the State of California to cause cancer, birth defects and other reproductive harm.

M726E-SM00

M726E Available Literature

Operator's Manual (This Manual)	Part No.	29847A
Service Manual	Part No.	29848A
Parts Catalon	Part No	208/104

Tigercat Industries Inc.

P.O. Box 637 Brantford, Ontario Canada N3T 5P9

Tel: (519) 753-2000 Fax: (519) 753-8272

Tigercat M726E MULCHER INTRODUCTION

An Operator's manual, Service manual and a Parts catalog are made available by **Tigercat** to assist the dealer, customer and operator in becoming familiar with the features of the M726E Mulcher serial number **726M3501** and up.

The M726E is a mechanical mulcher intended for use in forest mastication, vegetation management and land reclamation operations.

An optional multi-function hydraulic system and quick attach boom adapter allows the machine to be quickly and easily switched from a mulcher to a feller buncher for increased versatility.

When equipped with a felling head the M726E can be used for harvesting trees, selective felling, thinning and final felling applications in plantations and natural stands.

The operator's manual will assist the operator with the techniques of proper and safe operation of the M726E Mulcher. There is also important information regarding the safe operation of the saw head. The service manual contains safety and servicing procedures and a preventive maintenance schedule to assist in repair and to ensure optimum machine performance. For na. Jal part numbers, see the title page in each manual.

Section 1 in both the operator's manual and the service partial contains safety information that must be followed. As well, throughout the rest of the manuals W/ RNING and CAUTION notices are displayed where necessary, drawing attention to possible azards when performing certain procedures.

Only trained personnel should be allowed to operate or work on the machine.

The information contained in this manual is a rent at time of printing. Improvements to the machine are on-going and may not be covered, the form these cases contact your **Tigercat** dealer for the appropriate information.

The phrase "and up" appearing in his runual after the serial number implies that the related information is current for any machine serial number HIGHER than the serial number preceding the "and up".

Tigercat reserves the rig', make changes to the machine after this manual release date that may not immediately appear a this manual.

Every effort is mac't to and out updates on a regular basis. If the machine in question was built after the release date of this in qual and there is a discrepancy, call Tigercat service department. The release date appears on the rigst page.

The Common Serves the right to change information contained herein at any time without prior notice.

Tigerent Industries Inc.



S.A.E. STANDARDS
ROLL-OVER PROTECTION STRUCTURES (ROPS)
FALLING OBJECTS PROTECTION STRUCTURES (FOPS)
OPERATOR PROTECTION STRUCTURES (OPS)

* MODIFICATIONS AND REPAIRS:

The integrity of the ROPS, FOPS, OPS structure and its continued ability to provide the level of protection it was designed for could be seriously affected by any modifications to the structure, its mounting or to the chassis to which it is attached.

Tigercat emphasizes that the certification of approval of the ROPS, FOPS, OPS structure will become void if any such modification(s) take place.

Tigercat may officially grant approval for modifications only by:

- i. Written approval of repairs or modifications signed by the **Tigercat** Engineering Manager; or
- ii. Approved modifications officially released by Tigercat.

Both of the above are provided that the work is carried on in the factory approved manner.

Unauthorized modifications and/or repairs made or onto buted to by a customer or a **Tigercat** distributor may result in creating a dangerous situation and the customer or **Tigercat** distributor will be considered to have assumed the risk involved to be negligent in creating this situation.

Tigercat will not be held responsible for situations arising from having created unauthorized modifications/changes to the structure

Operator's cabs are designed to RC 2S, OPS, OPS standards so that they will withstand force and absorb energy during a roll-over (TO, S), then resisting the impact of a falling object (FOPS) and minimize the posibility of operator ir tury from penetrating objects (OPS). When a permanent deflection of the structure occurs, the structure can no longer provide the original designed level of protection and should be replaced. Attended to structure, particularly by the application of heat, can reduce still further the attractures remaining capability to protect.

The mounting an anti-traine or chassis to which the cab is attached is considered an integral part of the ROPS, FOPS OP and is included in the design, test and certification of the product.

Contact the 'qe :at Service department before attempting any modifications or repair to roll-over protectives a victures.

Tig at Industries Inc.



NON-APPROVED FIELD PRODUCT CHANGES

The installation of any unauthorized attachment or changes made of any kind to this **Tigercat** product could affect the product's ability to perform as originally intended. The product's integrity, stability and it's ability to perform safely could be at serious risk.

IT IS **Tigercat** POLICY THAT NO CHANGES ARE TO BE MADE TO ITS PRODUCTS INCLUDING DELETIONS OR ADDITIONS OTHER THAN A **Tigercat** APPROVED OPTION FITTED IN THE FACTORY APPROVED MANNER.

Official approval to make changes or install options is **only** to be undertaken as follows:

- i) The relevant options for that product must be shown or listed on <u>current</u> **Tigercat** documentation or literature such as a printed specification sheet, price list, parts manual, or product literature issued by **Tigercat**.
- ii) Approved options or product changes authorized in writing by the Tigercat Engineering Manager.

AUTHORIZATION BY ANY OTHER PERSON IS UNACCEPTABLE.

Unauthorized changes made or contributed to by a person or chanization may result in creating a dangerous situation and therefore the person or organization will be considered to have assumed the risk involved or be negligent in having created this situation.

Weight is an important factor when considering the Idi on of options or an attachment, Refer to your **Tigercat** distributor for information on maximum per nissible operating weight and the effect the addition of various options may have on your machine.

Tigercat will not be held responsible for are ituation that may arise resulting from Non-approved Field Product Changes to its product.

Should **Tigercat** become involved in a ciscuite resulting from changes made to the product without proper authorization by **Tigercat** as state about, **Tigercat** will take whatever action is appropriate to protect its interests.

The product warranty policy and the certification on any safety items installed on the modified product will become NULL and CID the above policy is not adhered to as specified.

Non-approved proof to anges also nullify warranties given to **Tigercat** by its component manufacturers.

Tigerc. * I dustries Inc.

Buy now

<u>Tigercat Mulcher M726E Operator's Manual PDF</u>

With Instant Download