SERVICE MANUALTigercat M726E MULCHER

ISSUE 2.1, JUNE, 2010

TABLE OF CONTENTS

SECTION
INTRODUCTIONIII
SAFETY1
USING HIGH SPEED DISC SAWS SAFELY APPENDIX TO SECTION 1
CONTROLS AND OPERATION SEE OPERATOR'S MANUAL
LUBRICATION AND MAINTENANCL
PILOT SYSTEM5
ELECTRICAL, GAUGES 'N') LARMS6
ENGINE7
DRIVE 8
BRAK 25 'ND DIFFERENTIAL LOCKS9
C COOLER, RADIATOR AND CROSS-FLOW FAN10
S EERING11
LIFT BOOM12
TILT13
SAW/MULCHER DRIVE17
CLAMPS WITH SAW18
PUSH BAR AND DEBRIS DOOR

M726E Available Literature

Operator's Manual	Part No. 29847A
Service Manual (This Manual) Part No. 29848A
Parte Catalon	Part No. 20840A

Tigercat®

Tigercat Industries Inc. P.O. Box 544 Paris, Ontario Canada N3L 3T6

Tel: (519) 442-1000 Fax: (519) 442-1855

Tigercat M726E MULCHER INTRODUCTION

An Operator's manual, Service manual and a Parts catalog are made available by **Tigercat** to assist the dealer, customer and operator in becoming familiar with the features of the M726E Mulcher serial number **726M3501** and up.

The M726E is a mechanical mulcher intended for use in forest mastication, vegetation management and land reclamation operations.

An optional multi-function hydraulic system and quick attach boom adapter allows the machine to be quickly and easily switched from a mulcher to a feller buncher for increased versatility.

When equipped with a felling head the M726E can be used for harvesting trees, selective felling, thinning and final felling applications in plantations and natural stands.

The operator's manual will assist the operator with the techniques of proper and safe operation of the M726E Mulcher. There is also important information regarding the safe operation of the saw head. The service manual contains safety and servicing procedures and a preventive maintenance schedule to assist in repair and to ensure optimum machine performance. For manual part numbers, see the title page in each manual.

Section 1 in both the operator's manual and the service is anual contains safety information that must be followed. As well, throughout the rest of the manuals we RichnG and CAUTION notices are displayed where necessary, drawing attention to possible hazards; hen performing certain procedures.

Only trained personnel should be allowed to operate or work on the machine.

The information contained in this manual is current at time of printing. Improvements to the machine are on-going and may not be covered, there in these cases contact your **Tigercat** dealer for the appropriate information.

The phrase "and up" appearing in user and after the serial number implies that the related information is current for any machine serial number and up". GHER than the serial number preceding the "and up".

Tigercat reserves the right to man changes to the machine after this manual release date that may not immediately appear in this partial.

Every effort is made seed out updates on a regular basis. If the machine in question was built after the release date of this many and there is a discrepancy, call Tigercat service department. The release date appears on the first page.

The Comparatives the right to change information contained herein at any time without prior notice.

Tigerca. 'moustries Inc.



S.A.E. STANDARDS
ROLL-OVER PROTECTION STRUCTURES (ROPS)
FALLING OBJECTS PROTECTION STRUCTURES (FOPS)
OPERATOR PROTECTION STRUCTURES (OPS)
* MODIFICATIONS AND REPAIRS:

The integrity of the ROPS, FOPS, OPS structure and its continued ability to provide the level of protection it was designed for could be seriously affected by any modifications to the structure, its mounting or to the chassis to which it is attached.

Tigercat emphasizes that the certification of approval of the ROPS, FOPS, OPS structure will become void if any such modifications take place.

Tigercat may officially grant approval for modifications only by:

- i. Written approval of repairs or modifications signed by the Tigercat Engineering Manager; or
- ii. Approved modifications officially released by Tigercat

Both of the above are provided that the work is carried out in the factory approved manner.

Unauthorized modifications and/or repairs made or antibuted to by a customer or a **Tigercat** distributor may result in creating a dangerous situation and therefore the customer or **Tigercat** distributor will be considered to have assumed the risk involved or be negligent in creating this situation.

Tigercat will not be held responsible for musticals arising from having created unauthorized modifications/changes to the structure

Operator's cabs are designed to RC 2S. OPS, OPS standards so that they will withstand force and absorb energy during a roll-ove (in OPS) when resisting the impact of a falling object (FOPS) and minimize the possibility of core for higher from penetrating objects (OPS). When a permanent deflection of the structure occurs, the substraighten the structure, particularly by the application of heat, can reduce still further the structure remaining capability to protect.

The mounting ar 11, frame or chassis to which the cab is attached is considered an integral part of the ROPS, FOPS OP and is included in the design, test and certification of the product.

Contact the cat Service department before attempting any modifications or repair to roll-over protecting as a lictures.

Tiger cat Industries Inc.

NON-APPROVED FIELD PRODUCT CHANGES

The installation of any unauthorized attachment or changes made of any kind to this **Tigercat** product could affect the product's ability to perform as originally intended. The product's integrity, stability and it's ability to perform safely could be at serious risk.

IT IS **Tigercat** POLICY THAT NO CHANGES ARE TO BE MADE TO ITS PRODUCTS INCLUDING DELETIONS OR ADDITIONS OTHER THAN A **Tigercat** APPROVED OPTION FITTED IN THE FACTORY APPROVED MANNER.

Official approval to make changes or install options is **only** to be undertaken as follows:

- The relevant options for that product must be shown or listed on <u>current</u> Tigercat documentation or literature such as a printed specification sheet, price list, parts manual, or product literature issued by Tigercat.
- ii) Approved options or product changes authorized in writing by the Tigercat Engineering Manager.

AUTHORIZATION BY ANY OTHER PERSON IS UNACCEPTABLE.

Unauthorized changes made or contributed to by a person of organization may result in creating a dangerous situation and therefore the person or organization will be considered to have assumed the risk involved or be negligent in having created this situation.

Weight is an important factor when considering the addition of options or an attachment, Refer to your **Tigercat** distributor for information on maximum, a hissible operating weight and the effect the addition of various options may have on your machine.

Tigercat will not be held responsible for any atuation that may arise resulting from Non-approved Field Product Changes to its product.

Should **Tigercat** become involved a dispute resulting from changes made to the product without proper authorization by **Tigercat** a. Standardove, **Tigercat** will take whatever action is appropriate to protect its interests.

The product warrant, policy and the certification on any safety items installed on the modified product will become NULL and Vo Dir the above policy is not adhered to as specified.

Non-approved product changes also nullify warranties given to **Tigercat** by its component manufacturers.

Tiç er at industries Inc.

Buy now

<u>Tigercat Mulcher M726E Service Manual PDF</u>

With Instant Download