

# TCM WARRANTY

TOYO UMPANKI CO., LTD (TCM) warrants that the new products manufactured by TCM to which this WARRANTY is originally attached (the TCM product) shall, irrespective of any further warranty that may be issued by any third party, be covered by the warranty set forth below and on the reverse side hereof.

## 1. Warranty

The TCM product shall, while in normal use, be warranted not to malfunction due to defects in workmanship or material. This warranty shall be issued only to the purchaser for original use.

Should the TCM product malfunction, TCM will repair or replace or cause to be repaired or replaced at TCM's option any parts of the TCM product that proves not to conform to the warranty stated herein, provided together with this warranty, such parts shall without charge to TCM have been boug to TCM's authorized servicing representatives.

This warranty specifically excludes the liability or damages arising from loss of use or profits, incurrence of costs or expenses of injury to business, credit, reputation or financial standing and for all other cose, idal damages. This warranty is definitive and exclusive and is in lieu of TCI is an other warranties expressed or implied and there is no warranty of merchantability of fitness for a particular purpose.

ocati

TCM's obligation under we anty stated herein shall continue only for the following period;

- (a) One (1) year or two thousand (2000) hours of use following the first delivery of the TCM product, whichever expires first, with respect to the Engine, Electric Drive or Pump Motor, Electric Control, Transmission, Torqueconverter, Hydrostatic Transmission or Drive Axle Assembly originally incorporated in the said TCM product, provided, however, that as to the following power train parts, the warranty period is six (6) months or one thousand (1000) hours;
  - (1) Brake drum and Hub Assembly, Wheel brake Assembly, and Wheel rim.
  - (2) Such accessories for engine like Carburetor, Aircleaner, Alternator, Starter, Regulator, Speed governor, LPG equipment, Turbo charger and Ring gear of flywheel.
- (b) Six (6) months or one thousand (1000) hours of use following the first delivery of the TCM product, whichever expires first, with respect to the whole parts originally incorporated in the said TCM product, except as excluded in (a) above and on the reverse side hereof.
- 3. Changes and Improvement

**TCM** is constantly striving to improve its products. Changes in design and improvement will be made whenever the efficiency of its products is improved thereby, but without incurring any obligation to incorporate such improvements in any products which have been shipped or are in services.



# **LIMITATION AND EXCLUSIONS**

The warranty stated on the front side hereof shall not apply to the malfunction of the **TCM** product if such is considered to be attributed to:

- (a) Failure to observe the instructions described in Operator's Manuals published by TCM.
- (b) Lack of operating skill of the operator, including carelessness and abusive use, overloading, and insufficient or improper maintenance.
- (c) Replacement of parts or assemblies which can be repaired by minor adjustments, such as adjustments for master cylinder, inching valve, linkage, mast rollers, steer axle, tightening of all fittings, etc.
- (d) Any alterations, changes or modifications without prior written consent by TCM, or use of unauthorized replacement parts or components, or servicing performed by anyone other than TCM's authorized servicing representatives.
- (e) Other causes not attributable to TCM, such as flood, thunderbolt and other Act of God.

Notwithstanding the warranty stated on the front side hereof, this warranty shall exclude, and not apply to;

# (a) OIL, LUBRICANTS AND THE LIKE:

Oil, grease, fuel, antifreeze, electrolyte, brake fluid and other similar expendables that are replaced during a warranty repair.

### (b) ELECTRIC PARTS:

Points, plugs, condenser, rotor, distributor cap, battery, fise, leuric bulb, wire harness, glow plug.

### (c) FILTERS:

Engine oil filters, air filters, fuel filters, hydraulic filers, tc.

### (d) OTHER CONSUMABLE PARTS:

Tires, tubes, clutch disc, brake lining, bel to zles, rubber hose, seal, packing, gasket, O-rings, hydraulic brake rubber parts, piston ring, glassware, ground, e, nut, bolt, washer, cotter pins, bushings, bucket tooth, cutting edge, and the like.

# **FOREWORD**

Thank you very much for your purchase of TCM product. This Operator's Manual is written to give the operator necessary operating, routine servicing and preventive maintenance instructions for the TCM TCMFIGHTER. Read this manual thoroughly and become completely familiar with the truck before putting it into work to get the most out of it.

For any additional information required or any complicated trouble encountered, please refer to your TCM dealer. Due to improvement on design, it is possible that the description contained herein may differ slightly from the truck delivered to you.

In addition, the specifications and the arrangement of the operating controls vary slightly with the machine serial number. The mark  $\triangle$  used in this manual indicates the articles that would involve serious accident or endanger human life if neglected. Special attention must be paid to the articles with this mark.



**Buy now** 

TCM Tomfighter 810 Operators Manual PDF

With Instant Download