PUBLISHED: 03-MAR-2015

2016.0 DISCOVERY SPORT (LC), 100-00

GENERAL INFORMATION

DESCRIPTION AND OPERATION

INTRODUCTION

This manual has been written in a format that is designed to meet the needs of technicians worldwide. The objective is to use common formats and include similar content in each menual.

This manual provide gone all descriptions for accomplishing diagnosis and testing, service and a pair work with tested and effective techniques.

Following them will help to ensure reliability.

IMPORTANT SAFETY INSTRUCTIONS

Appropriate service methods and correct repair procedures are essential for the safe, reliable operation of all motor vehicles as well as the personal safety of the individual carrying out the work.

Anyone who departs from the instructions provided in this manual must first establish that personal safety or vehicle integrity is not compromised by the choice of method, tools or components.

WARNINGS, CAUTIONS AND NOTES IN THIS MANUAL

WARNING:

Warnings are used to indicate that failure to follow a procedure correctly may result in personal injury.

CAUTION:

Cautions are used to indicate that failure to follow a procedure correctly may result in damage to the vehicle or equipment being used.

NOTE:

Notes are used to provide additional essential information required to carry out a complet and sucisfactory repair.

Generic war in its or cautions are in their relevant description and operation procedure within section 100-00. If the generic warnings or cautions are required for a procedure, there will be a referral to the appropriate discription and operation procedure.

If a warning, caution or note only applies to one step, it is placed at the beginning of the specific step.

TRUSTMARK AUTHORING STANDARDS (TAS) REMOVAL AND INSTALLATION PROCEDURES

NOTE:

TAS style procedures can be identified by steps that have no accompanying step text and the magenta color of the electrical connectors and fasteners such as nuts, bolts, clamps or clips.

A TAS removal and installation procedure uses a sequence of color illustrations to indicate the order to be followed when removing/disassembling or installing/assembling a component.

Many of the TAS procedures will have the inclanation information within the removal steps. These procedures will have the following note at the beginning of the procedure:

NOTE:

Removal steps in his cocedure may contain installation details.

Items such as Oring seals, gaskets, seals, self-locking nuts and bolts are to be discrease and new components installed unless otherwise stated within the procedure. Coated nuts or bolts are to be reused, unless damaged or otherwise stated within the procedure.

Specification procedures will contain all technical data that are not part of a repair procedure.

TAS Graphics

Colors used in the graphic are as follows:


- Blue Indicates the target item, item to be removed/installed or disassembled/assembled
- Green and Brown Indicates a secondary item that needs to be detached,
 removed/installed or disassembled/assembled prior to the target item


- Yellow Component that is touched or affected in a way but remains in the vehicle. It may be detached, attached, moved, modified, checked, adjusted etc.
- Magenta Indicates electrical connectors and fasteners such as nuts, bolts, clamps or clips
- Pale Blue is for the special tool(s) and general equipment.


There may be multiple steps assigned to one illustration.

Numbered pointers are used to indicate the number of electrical connectors and fasteners such as nuts, bolts, clamps or clips.

Items in the illustration can be transparent on use cutouts to show hidden detail(s).







TAS Symbols

Symbols are used inside the graphics and in the text area to enhance the information display. The following paragraphs describe the various types and categories of symbols.

Prohibition symbols advise on prohibited actions to either avoid damage or health and safety related risks.

Buy now

<u>Land Rover/ Range Rover Sport L550 Set of Manuals and Diagrams PDF</u>

<u>With Instant Download</u>